

Технические характеристики на тахеометр Stonex R2W PLUS ограниченная серия

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Брянск (4832)59-03-52
Вологда (8172)26-41-59
Иваново (4932)77-34-06
Калининград (4012)72-03-81
Киров (8332)68-02-04
Курск (4712)77-13-04
Москва (495)268-04-70
Нижний Новгород (831)429-08-12
Орел (4862)44-53-42
Пермь (342)205-81-47
Самара (846)206-03-16
Смоленск (4812)29-41-54
Тверь (4822)63-31-35
Тюмень (3452)66-21-18
Челябинск (351)202-03-61

Астана +7(7172)727-132
Владивосток (423)249-28-31
Воронеж (473)204-51-73
Ижевск (3412)26-03-58
Калуга (4842)92-23-67
Краснодар (861)203-40-90
Липецк (4742)52-20-81
Мурманск (8152)59-64-93
Новокузнецк (3843)20-46-81
Оренбург (3532)37-68-04
Ростов-на-Дону (863)308-18-15
Санкт-Петербург (812)309-46-40
Сочи (862)225-72-31
Томск (3822)98-41-53
Ульяновск (8422)24-23-59
Череповец (8202)49-02-64

Белгород (4722)40-23-64
Волгоград (844)278-03-48
Екатеринбург (343)384-55-89
Казань (843)206-01-48
Кемерово (3842)65-04-62
Красноярск (391)204-63-61
Магнитогорск (3519)55-03-13
Набережные Челны (8552)20-53-41
Новосибирск (383)227-86-73
Пенза (8412)22-31-16
Рязань (4912)46-61-64
Саратов (845)249-38-78
Ставрополь (8652)20-65-13
Тула (4872)74-02-29
Уфа (347)229-48-12
Ярославль (4852)69-52-93

R2W PLUS

limited edition

NOW COMPLETE WITH **GUIDE LIGHT, BLUETOOTH AND MS FIELD GENIUS/CARLSON SURVCE ON BOARD**

R2W Plus *limited edition* Windows CE based Total Station, opens a new era in the world of traditional surveying. R2W Plus TFT 320x240 2 sides touch screen display gives the Surveyor a clear, colourful and fully graphical environment, and the user friendly on board Field Genius software supports the users with guided through functions for data collection, topographic surveys, staking; many field programs are included: free station, area and volume calculations, COGO, remote elevation, missing line, and much more. The measured points are displayed on the graphical map, providing the users with a clear image of their job. The high-precision class 3 EDM featuring millimeter accuracy even on long range distances (up to 500 m reflectorless mode), and the absolute encoders performing 2" angles

measurements, provide reliable points calculation in every condition; STONEX R2W Plus is IP55 dustproof and waterproof certified. STONEX R2W Plus clear 30X telescope, with illumination adjustable reticle, provides superior sighting quality in any light condition.

R2W Plus Limited Edition features high accuracy angles measurements (2"), and 2 mm + 2ppm accuracy on distance measurements, with a range of 500 m (reflectorless mode), and up to 7000 m with a single prism. The USB / mini USB ports, located on the side of the display / keyboard, guarantees an efficient system for data upload/download. STONEX R2W Plus is supplied with a built-in visible laser plummet (class 2 laser).



Laser technology (class 3 laser) for long range reflectorless distance measurements

Alphanumeric keyboard on both sides with high resolution TFT LCD touch screen display

EASY TO USE

Windows CE 7.0 OS and user friendly on board software

LONG RANGE

500m reflectorless range, 2" angles accuracy

EASY AND SAFE DATA

Communication with the USB/mini USB ports to load/download data, large field of compensation

FULL OPTIONAL

Guide light, Bluetooth, MS Field Genius/Carlson SurvCE as standard feature

CLEAR ENVIRONMENT

Two side high resolution TFT LCD touch screen display

CAPACITY

Large storage capacity with 2GB internal memory

KEY FEATURES

R2W PLUS MODELS

R2W Plus 500 R2 -2"

ANGLE MEASUREMENT

Reading system	Absolute encoder
Angle Unit	360°(dms/d)/400gon/6400mil
Accuracy	2"

TELESCOPE

Magnification	30 x
Field of view	1°30'
Minimum focus	1.0 m
Reticle	10 brightness levels adjustable
Objective aperture	φ 45 mm

COMPENSATION

System	Electronic dual-axis-compensator
Working range/Accuracy	± 4.0' / 1"

DISTANCE MEASUREMENT RANGE (GOOD CONDITION)²

Reflectorless	1.0 ~ 500 m
With Prism	1.0~3000m Class 1 up to 7000 m Class 3
With reflective sheet (60mm x 60mm)	1.0 ~ 800 m
With Mini Prism	1.0 ~ 800 m

DISTANCE MEASUREMENT ACCURACY

Without Prism	± (3+2x10 ⁻⁶ D)mm / 1~200m ± (5+3x10 ⁻⁶ D)mm / ≥200m
With Prism	± (2+2x10 ⁻⁶ D) mm
With reflective sheet (60mm x 60mm)	± (3+2x10 ⁻⁶ D) mm

DISTANCE MEASUREMENT

Laser class (prism)	Class 1
Laser class (Reflectorless / Reflective sheet)	Class 3R
Measuring time	Initial: 2.5sec
Reflectorless	typ: 1.5-5sec, max: 20sec
With Prism	typ: 1.0-1.5sec
With reflective sheet (60mm x 60mm)	typ: 1.5sec
Distance Unit	m/ft/US ft

Specifications subject to change without notice

¹ Standard deviation based on ISO17123-3.

² Good conditions: no haze, visibility about 40km, no heat shimmer, breeze.

³ Reflector. White side of Kodak Gray Card with 90% reflective.

⁴ Laser plummet mounted on the bottom of the vertical axis.

LASER PLUMMET (STANDARD)⁴

Accuracy	±1.0mm at 1.5 m instrument height
Laser class	Class 2/IEC60825-1
Laser wavelength	635nm
Laser spot	2.0mm/1.5m

LEVEL VIAL SENSITIVITY

Plate level vial	30" / 2mm
Circular level vial	8' / 2mm

ENVIRONMENTAL CONDITIONS

Operating Temperature	-20° C ~ +50° C
Storage Temperature	-40° C ~ +70° C
Protection to dust and water	IP55 (IEC60529)

WEIGHT

Weight including battery and tribrach	5.5 Kg
---------------------------------------	--------

POWER

Battery	3400mAh Li-ion rechargeable
Output voltage	7.4V
Operating period with continuous angle measurement	12 hours
Operating period with measurement every 30 seconds	Approx. 9 hours (>1000 measurements)
Charger	110V/240V
Charging time (at +20° C)	Approx. 4 hours

OTHER SPECIFICATIONS

CPU	ARM9 core
Display	Two sides, 3.5" color TFTLCD (320 x 240 pixel), touch screen
Operating System	Windows CE 7.0
Internal Memory	2GB
Interface	RS-232C / USB slave / USB host
Bluetooth	On board
Bluetooth level	Class 2
Bluetooth effective distance	10 m
Guide Light System	On board
Sensor	Temperature/Pressure



IP55

Windows



По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Брянск (4832)59-03-52
Вологда (8172)26-41-59
Иваново (4932)77-34-06
Калининград (4012)72-03-81
Киров (8332)68-02-04
Курск (4712)77-13-04
Москва (495)268-04-70
Нижний Новгород (831)429-08-12
Орел (4862)44-53-42
Пермь (342)205-81-47
Самара (846)206-03-16
Смоленск (4812)29-41-54
Тверь (4822)63-31-35
Тюмень (3452)66-21-18
Челябинск (351)202-03-61

Астана +7(7172)727-132
Владивосток (423)249-28-31
Воронеж (473)204-51-73
Ижевск (3412)26-03-58
Калуга (4842)92-23-67
Краснодар (861)203-40-90
Липецк (4742)52-20-81
Мурманск (8152)59-64-93
Новокузнецк (3843)20-46-81
Оренбург (3532)37-68-04
Ростов-на-Дону (863)308-18-15
Санкт-Петербург (812)309-46-40
Сочи (862)225-72-31
Томск (3822)98-41-53
Ульяновск (8422)24-23-59
Череповец (8202)49-02-64

Белгород (4722)40-23-64
Волгоград (844)278-03-48
Екатеринбург (343)384-55-89
Казань (843)206-01-48
Кемерово (3842)65-04-62
Красноярск (391)204-63-61
Магнитогорск (3519)55-03-13
Набережные Челны (8552)20-53-41
Новосибирск (383)227-86-73
Пенза (8412)22-31-16
Рязань (4912)46-61-64
Саратов (845)249-38-78
Ставрополь (8652)20-65-13
Тула (4872)74-02-29
Уфа (347)229-48-12
Ярославль (4852)69-52-93

Эл. почта: sxt@nt-rt.ru || Сайт: <http://stonex.nt-rt.ru/>